9 August 2023



2nd Floor

Cambs **PE29 3TN**



Dear

Re: Freedom of Information request ref CA245 Information not held

Thank you for your request for information received on 21 July 2023. The response is given below:

Request

I would like to know what consultation with disabled people was done before the 2020 instigation of the electric scooter trial by the Cambridgeshire and Peterborough authority. I would like to see the Equality Impact Assessment written at the time.

In June 2023 this trial was reinstated in Milton and other villages, what consultation and EIA statement was produced at this time, based on the experience. I have emailed the authority several times and have not been shown either the EIA statement from 2020 or 2023. Therefore with no EIA statement I do not believe this trial is legal.

Response

This information is not held by the Cambridgeshire and Peterborough Combined Authority.

I hope this information is helpful but if you are unhappy with the service you have received in relation to your request and wish to make a complaint or request a review, you should write to us via our contact us email address: democratic.services@cambridgeshirepeterboroughca.gov.uk or write a letter to Complaints, Cambridgeshire and Peterborough Combined Authority, 2nd Floor, Pathfinder House, St Mary's Street, Huntingdon, Cambs PE29 3TN within 40 days of the date of this e-mail.

Pathfinder House St Mary's Street Huntingdon If you are not content with the outcome of the internal review, you have the right to apply directly to the Information Commissioner for a decision. The Information Commissioner can be contacted at: Information Commissioner's Office, Wycliffe House, Water Lane, Wilmslow, Cheshire, SK9 5AF, or via their website: https://ico.org.uk/

Generally, the ICO will not undertake a review or make a decision on a request until the internal review process has been completed.

Yours sincerely



Sue HallData Protection Officer



2nd Floor Pathfinder House St Mary's Street Huntingdon Cambs PE29 3TN